




Euro Service

Euro Service A/S
Højmarken 18
DK - 5492 Vissenbjerg
Tel. + 45 63 13 07 07
Fax + 45 63 13 08 08
SE-nr. DK20890290
E-mail es@euro-service.dk
Website www.euro-service.dk

Euro Stack-Lifter®



The Operator friendly

Stack-Lifter®

E

- ✓ Easy to install
- ✓ Easy to operate
- ✓ Economical – money saver
- ✓ Efficient – correct operation every time
- ✓ Exclusive features that makes the operator job easier



S

- ✓ Safe
- ✓ Service free
- ✓ Speeds production up
- ✓ Strong build – build to last !
- ✓ State of the art, with unique features that makes the operator job easier



Euro Service

Euro Service A/S
Højmarken 18
DK - 5492 Vissenbjerg
Tel. + 45 63 13 07 07
Fax + 45 63 13 08 08
SE-nr. DK20890290
E-mail es@euro-service.dk
Website www.euro-service.dk



- **Adjustable in heights and widths**
- **Works with most types of stacking pins available in the market**
- **Can lift up to 35 kg of stacked bags**
- **Adjustable to bag sizes from 100 to 1000 mm**
- **Quick job change (takes less than 1 min. to adjust the Stack-Lifter® to a new bag size)**
- **Safe operation – the Stack-Lifter® is delivered with a finger/hand protection device**

Advantages

For the manufacturer :

- Long lasting equipment
- Money saver : Speeds up the operation process
- Easy to start
- Can be installed in any existing wicket machine (like Hudson-Sharp/FMC/LEMO/Scae/Amplast, etc.)
- Low price
- Less days lost through sickness of the operators due to better ergonomic handling

For the operator :

- Eliminates arm and wrist stress/pains
- Better ergonomic work
- Less sick days due to elimination of arm/wrist pains or back pains
- Better working health
- More free time between stacking of bags
- Very easy to operate
- Safe operation

Technical specifications

Model	STL-PN Operator activated	STL-Auto Conveyor model
Activated by	Operator activated, pneumatic switch	Automatically activated by photocell signal and PLC pulse
Control system	Pneumatic	PLC
Air pressure	6 bar	6 bar
Voltage	24V DC	24V DC
Standard	CE	CE
Price	EUR	EUR
Note : Specifications and prices are for standard machines and are subject to change without notice		